GENERAL INDEX TO VOLUME 18, 1981

(New names are indicated by **boldface** type, synonyms by *italics*)

Acari 33–40, 44–47, 69–72, 84–91, 93–98, 112–15, 123–25, 129–33, 170, 175–76, 187–93, 217, 228–34, 244–48, 253–54, 298–99, 324–32, 341–54, 366–69, 374–77, 395–400, 413–18, 457–76, 487–92, 530–35
of Antillean bats 353
acaricide, see pesticide
Acaridae 201
Achaearanea tepidariorum 356
Aedes 282, 317–18, 401–08, 499, 509, 516, 519
electrophoretic similarities in 401
abserratus 499, 510–11
aegypti 61–64, 126–27, 167–68, 235–39, 249, 300, 309, 357–61, 383–85, 401, 434–40, 505, 512, 515–17
adult esterase in 61
Brugia transmission 383
dietary glucose and amino acids in 235
Dirofilaria infection 434
albopictus 401, 438, 458, 461–62
alcasidi 402, 404–07
canadensis ... 499–500, 510–11, 513
cantator 317–23, 509, 512, 515, 519
vector potential 317
cinereus 510–11
dorsalis 355
excrucians 510–11
hendersoni 119–22
katherinensis 406
kesseli 402, 404–07
malayensis 402, 404–07
melanimon 503
nigromaculis 173
polynesiensis 401–02, 404–07
punctor 509–10, 512, 515, 519
scutellaris complex 401–08
subgroup 401–02, 406
sierrensis 173
sollicitans 317, 320–22, 505, 516
stimulans 510–11
taeniorhynchus 238, 317, 322, 505, 516
togoi, diapause in Nagasaki strain 477–80
triseriatus 119–22, 279–83, 480
productivity of 279
vexans 119–22, 282, 355, 499–500
Agelenidae 355–56
Agelenopsis naevia 355–56
Alectorobius 134–39
Amblyomma 232
americanum 93–98, 187–93, 253, 328–32, 409–10
feeding on immunized calves 328
host suitability for 93
sex pheromone receptor in ... 187
dissimili 474
hebraeum, spermiogenesis in ... 464
inornatum 96
maculatum 93, 170, 187, 409–10
Amblypygi 273
Amphipsylla 48–60
jingtieshanensis 50
kulkarnii 50, 59–60
montana 57, 59
iskul 54, 59–60
montana 59
parthiana 59
orthogonia 50, 60
parthiana 57, 59
phaiomydis 59
iskul 54, 59
limonia 57, 59–60
phaiomydis 57, 59
primaris primaris 48, 54, 59–60
quadratedigita 48, 59–60
rossica 59
schelkovnikovi 48, 59
sibirica *intermedia* 48
tuta gregorii 60
Analgoidea 341–44
Anaplasma 84, 87
Anaplasmosis 84, 206
Androctonus australis 447
crassicauda 447
Anopheles 355, 419–20, 499
aconitus, resting heights 362–65
albimanus 287
barberi 120–22
barbirostris 363–64
fluviatilis 364
freeborni 387
funestus 287
gambiae 287
hyrcanus 364
indefinitus 363–64
kochi 363
leucosphyrus 364
maculipennis 364, 505
punctipennis 120, 420, 499
quadrimaculatus 420, 422, 438, 499
subpictus 363–64
walkeri 510–11
anopheline 285, 362–65
ant 448
red imported fire 378–82
aphid 110–11
Aplodontophila 395–400
aplodontiae 396, 399
pacifica 395–96, 399
Aponomma 123
elaphensis 123
gervaisi 125
quadricavum 123–25
Arachnida 92, 273
Araneae 355–56
Araneidae 356
Araniella displicata 356
arbovirus, see virus
Arenaviridae, see virus
Argas 129, 131–32
arboreus 129
brumpti 129
cooleyi, aggregation pheromones of 129–33
dissimili 475
miniatus 474
persicus 129, 132
Argasidae 129–33, 134–39
Ascoschoengastia 72
audyi 69
krishnani 69
rousetti 69
attractant, muscalure 73–77
Avenzoaria 342
Avenzoariidae 341–44
Avenzoariinae 341–42
Babesia 84, 87
bovis 87
microti 487
babesiosis 84, 490
human 487
Bdellorhynchus 341–42
bee 517
beetle 517
Belminus herreri ... 270, 272, 274–75
peruvianus 274
blood feeding, by Ornithonyssus .. 374
by Psoroptes 345, 349
in sylvan mosquitoes 493
of Triatoma barberi 99
Bonnetella 342–43
fusca 343
Bonnetellinae 341–42
Boophilus 418
hybridization in 413
annulatus 413–18
decoloratus 413
microplus 84–88, 413–18
cell strain characterization 84
Bothriuridae 447
Bregetovia 342
Brugia malayi 477
pahangi 383–85, 434
bug 441–45
bed 107–11
conenose 211
kissing 107, 217
swallow 425–28
seasonal susceptibility to virus 425
triatomine, see Triatominae
Bunyaviridae, see virus

GENERAL INDEX TO VOLUME 18, 1981

(New names are indicated by **boldface** type, synonyms by *italics*)

Acari 33–40, 44–47, 69–72, 84–91, 93–98, 112–15, 123–25, 129–33, 170, 175–76, 187–93, 217, 228–34, 244–48, 253–54, 298–99, 324–32, 341–54, 366–69, 374–77, 395–400, 413–18, 457–76, 487–92, 530–35
of Antillean bats 353
acaricide, see pesticide
Acaridae 201
Achaearanea tepidariorum 356
Aedes 282, 317–18, 401–08, 499, 509, 516, 519
electrophoretic similarities in 401
abserratus 499, 510–11
aegypti 61–64, 126–27, 167–68, 235–39, 249, 300, 309, 357–61, 383–85, 401, 434–40, 505, 512, 515–17
adult esterase in 61
Brugia transmission 383
dietary glucose and amino acids in 235
Dirofilaria infection 434
albopictus 401, 438, 458, 461–62
alcasidi 402, 404–07
canadensis ... 499–500, 510–11, 513
cantator 317–23, 509, 512, 515, 519
vector potential 317
cinereus 510–11
dorsalis 355
excrucians 510–11
hendersoni 119–22
katherinensis 406
kesseli 402, 404–07
malayensis 402, 404–07
melanimon 503
nigromaculis 173
polynesiensis 401–02, 404–07
punctor 509–10, 512, 515, 519
scutellaris complex 401–08
subgroup 401–02, 406
sierrensis 173
sollicitans 317, 320–22, 505, 516
stimulans 510–11
taeniorhynchus 238, 317, 322, 505, 516
togoi, diapause in Nagasaki strain 477–80
triseriatus 119–22, 279–83, 480
productivity of 279
vexans 119–22, 282, 355, 499–500
Agelenidae 355–56
Agelenopsis naevia 355–56
Alectorobius 134–39
Amblyomma 232
americanum 93–98, 187–93, 253, 328–32, 409–10
feeding on immunized calves 328
host suitability for 93
sex pheromone receptor in ... 187
dissimili 474
hebraeum, spermiogenesis in ... 464
inornatum 96
maculatum 93, 170, 187, 409–10
Amblypygi 273
Amphipsylla 48–60
jingtieshanensis 50
kulkarnii 50, 59–60
montana 57, 59
iskul 54, 59–60
montana 59
parthiana 59
orthogonia 50, 60
parthiana 57, 59
phaiomydis 59
iskul 54, 59
limonia 57, 59–60
phaiomydis 57, 59
primaris primaris 48, 54, 59–60
quadratedigita 48, 59–60
rossica 59
schelkovnikovi 48, 59
sibirica *intermedia* 48
tuta gregorii 60
Analgoidea 341–44
Anaplasma 84, 87
Anaplasmosis 84, 206
Androctonus australis 447
crassicauda 447
Anopheles 355, 419–20, 499
aconitus, resting heights 362–65
albimanus 287
barberi 120–22
barbirostris 363–64
fluviatilis 364
freeborni 387
funestus 287
gambiae 287
hyrcanus 364
indefinitus 363–64
kochi 363
leucosphyrus 364
maculipennis 364, 505
punctipennis 120, 420, 499
quadrimaculatus 420, 422, 438, 499
subpictus 363–64
walkeri 510–11
anopheline 285, 362–65
ant 448
red imported fire 378–82
aphid 110–11
Aplodontophila 395–400
aplodontiae 396, 399
pacifica 395–96, 399
Aponomma 123
elaphensis 123
gervaisi 125
quadricavum 123–25
Arachnida 92, 273
Araneae 355–56
Araneidae 356
Araniella displicata 356
arbovirus, see virus
Arenaviridae, see virus
Argas 129, 131–32
arboreus 129
brumpti 129
cooleyi, aggregation pheromones of 129–33
dissimili 475
miniatus 474
persicus 129, 132
Argasidae 129–33, 134–39
Ascoschoengastia 72
audyi 69
krishnani 69
rousetti 69
attractant, muscalure 73–77
Avenzoaria 342
Avenzoariidae 341–44
Avenzoariinae 341–42
Babesia 84, 87
bovis 87
microti 487
babesiosis 84, 490
human 487
Bdellorhynchus 341–42
bee 517
beetle 517
Belminus herreri ... 270, 272, 274–75
peruvianus 274
blood feeding, by Ornithonyssus .. 374
by Psoroptes 345, 349
in sylvan mosquitoes 493
of Triatoma barberi 99
Bonnetella 342–43
fusca 343
Bonnetellinae 341–42
Boophilus 418
hybridization in 413
annulatus 413–18
decoloratus 413
microplus 84–88, 413–18
cell strain characterization 84
Bothriuridae 447
Bregetovia 342
Brugia malayi 477
pahangi 383–85, 434
bug 441–45
bed 107–11
conenose 211
kissing 107, 217
swallow 425–28
seasonal susceptibility to virus 425
triatomine, see Triatominae
Bunyaviridae, see virus

Buthidae 447
Buthotus tamulus 447
Buthus occitanus 447
Bychovskiata 342
Calliphora 518
Calliphoridae 66, 240–43
Cameronieta elongatus 353
Capelloptes 342
Castianeira amoena 356
Catallagia sculleni rutherfordi 42
Cavernicola 26
  pilosa 267, 274, 276
cell lines, from Boophilus microplus 84
  from Toxorhynchites 140
centipede 448
Centruroides 447
  sculpturatus 447
Ceratophyllidae 42
Ceratophyllis gallinae 82
  garei 82
Chactidae 447
Chagas' disease 211, 257, 266–78
chigger (see also Trombiculidae) 33–40, 69–72, 112–15, 228–31, 244–48, 298–99, 366–69, 395–400, 530–35
  new taxa 33, 69, 112, 228, 244 298, 366, 370, 395, 530
Chironomidae 66
Chiroptonyssus robustipes 353
Chrysops aberrans 430
  ater 430–31
  atlanticus 429
  callidus 430–32
  carbonarius 430
  cincticornis 430–32
  cuclux 430–31
  flavidus 430
  frigidus 430–31
  fuliginosus 429
  geminatus 430–32
  indus 430–32
  macquarti 430–32
  mitis 430–31
  niger 430
  obsoletus 430–32
  shermani 430
  univittatus 430–32
  vittatus 429–32
Cimex
  hemipterus, transfer of radioactivity by 107–11
  lectularius 107, 111
Cimicidae 107–11, 425–28
Clerada apicicornis 267, 276
Clubionidae 356
Cnephia ornithophilia 155–56
Cochliomyia hominivorax ... 240, 243
  macellaria 240, 243
cockroach 201, 360, 448
Coquillettidia 499
  perturbans 119–21, 499–500
Cosmotriche potatoria 517
Cotopsyllidae 42
Coxiella burnetii 125
Ctenocephalides canis 79, 82
  felis, environmental effects on 78–83
Culex 65–67, 120–22, 340, 387, 391, 420
  nigripalpus 249
  pipiens 66–67, 235, 237, 386–87, 391, 401
    complex 167, 284–88
      phototaxis and DV/D ratio 284
    fatigans 167
    molestus 284
    pipiens 122, 249, 284–85, 287–88, 384
    quinquefasciatus 284–85, 287
  quinquefasciatus 181–86, 284–85, 287, 387
    survival and biting rate 181
  restuans 66, 122, 355–56
  salinarius 65–68, 320
    hibernation in 65
  tarsalis 67, 126, 167–69, 249, 386–94, 433
    hibernating 386
    host seeking in 249
    mating by irradiated ♂ 167
  territans 420, 499
Culicidae 61–68, 116–22, 126–28, 140–44, 173–74, 180–86, 234–39, 249–50, 279–88, 300–23, 337–40, 355–65, 383–94, 401–08, 419–24, 434–40, 477–86, 493–521
Culicoides 253, 527
Culiseta 420
  melanura 313, 315–16, 419–20, 423, 493–504
    blood feeding in 493
    flight patterns 501
  morsitans 313–16, 420, 499, 510–11
    as vector of EEEV 313
Cuterebra 333–36
  fontinella 334–35
Cuterebridae 333–36
Cyclorrhapha 518
deet, see repellent
Demodex canis 409, 411
  sp. 409, 411
Dermacentor 461
  albipictus 488, 491
  andersoni 89–91, 95, 413, 459, 474
    gynandromorph 89
  occidentalis 457, 459, 462
  parumapertus 84
  pictus 192
  variabilis 93, 170, 175, 413, 458, 474
Dermanyssidae 353
Dermanyssus prognephilus 132
Dermatophagoides farinae, humidity requirements ... 351–52
Derrickiella 533
Digenualaea 395
Dipetalogaster maxima 24
Diplocentridae 447
Diptera 61–68, 73–77, 92, 116–22, 126–28, 140–69, 173–74, 180–86, 194–210, 234–43, 249–50, 279–97, 300–23, 333–40, 355–65, 383–94, 401–08, 419–24, 429–40, 446, 449–56, 477–86, 493–529
Dipylidium caninum 78–79
Dirofilaria immitis 384, 434–40
disease, see specific headings; see also virus
Dolomedes fimbriatus 355
  sp. 356
Domrowana 33, 36, 530, 533
Drosophila 63, 406
  melanogaster 287
Dubininia 342
ectoparasites, of Canidae 409
enzyme, α-glycerophosphate dehydrogenase 402
  adenylate kinase 402
  aldehyde oxidase 402
  esterase 61–64, 402
  glutamate oxalacetate transaminase 402
  hexokinase 402, 407
  isocitrate dehydrogenase 402
  lactate dehydrogenase 402
  malate dehydrogenase 402
  NADP-dependent malate dehydrogenase 402
  octanol dehydrogenase 402
  phosphoglucose isomerase 402
  mutase 402
  6-phosphogluconate dehydrogenase 402
  tryptic 428
Eratyrus mucronatus ... 267, 270–71, 273–75
Eretmapodites 300
  chrysogaster 300
  quinquevittatus 300–12
    polygenic inheritance in 300
Eristalis 518
erythema chronicum migrans 457, 462, 487
Euschoengastia 399
eyeworm 455
  equine 449
  mammalian 449
filaria 235, 407
filariasis 401
  brugian 364
  human 477
flea 41–43, 48–60, 78–83, 251–52, 448
  bird 82
  cat 78–83
  Oriental rat 81
  pupal collection device 251
  rat 41
  rodent 42
fly 73–77, 111, 240–43, 448
  biting 522–29
  black 126, 145–57, 512
    as vectors of *Leucocytozoon* 153
  bloodsucking 448

bot ... 333–36
chipmunk ... 333
deer ... 430, 432
face ... 289, 449–56
fruit ... 287
horse ... 429–33, 522, 525–27
house ... 73–77, 158–66, 208, 449–56
phlebotomine sand ... 446
screwworm ... 195
primary ... 240–43
seasonal occurrence ... 240
secondary ... 240–43
stable ... 73, 158, 194–210, 522, 525–28
streblid bat ... 353
yellow ... 382
Formicidae ... 378–82
Freyana ... 341
Freyanoidea ... 341–42
Geomydoecus ... 1, 4, 21
actuosi ... 16–20, 22
albati ... 6, 8, 21
angularis ... 7, 21
aurei ... 2, 9–10, 15–20, 22
aurei ... 15–16, 22
grahamensis ... 16, 22
bajaiensis ... 2, 8–10, 22
californicus ... 1–2, 5–6, 8–10, 21
complex ... 1–23
review of fauna on Thomomys ... 2
centralis ... 4, 6, 8, 21
clausonae ... 9, 22
crovelloi ... 18, 20, 22
limitaris ... 2, 9–10, 21
bakeri ... 12–14, 22
halli ... 13–14, 22
limitaris ... 10, 12–14, 21
tolteci ... 14, 22
sinaloae ... 17–20, 22
warmanae ... 19, 22
Glossina ... 486
Guntheria ... 33, 36, 112–115, 228, 298–99, 530–35
bisetosa ... 533–34
bosaviensis ... 370, 535
buelowi ... 33, 535
cassiope ... 33, 36
crinita ... 370, 535
ditrichia ... 533
echymipera ... 533–34
foliata ... 298, 534
heterotrichia ... 112
hoxieae ... 534
inflata ... 534
joannae ... 370, 535
kallipygos ... 534
lavaniensis ... 373, 535
margaretae ... 112, 534
mccullochi ... 298, 534
melomys ... 112, 534
minima ... 36, 373, 530, 535
mirzai ... 534
mohri ... 370, 534
niobiensis ... 535
omega ... 370, 535
ornamentata ... 115, 534
pannosa ... 112
parana ... 112, 114, 534
pectinata ... 36, 535
perameles ... 370, 534
sabinae ... 33, 36, 535
scrobiculata ... 115, 534
serrata ... 33, 534
shieldsi ... 534
squamosa ... 298, 534
strandtmanni ... 36, 373, 535
wauensis ... 36, 370, 535
womersleyi ... 36, 370, 535
wrenni ... 530, 535
Habrocestum morosum ... 356
Habronema ... 453
Haemaphysalis concinna ... 413
intermedia ... 232, 234
leporispalustris ... 175, 253
obesa ... 84
spinigera ... 84
heartworm, dog ... 434–40
Heliothis ... 413, 418
virescens ... 77
Hemifreyana ... 341, 343
grandiloba ... 343
leclerci ... 341, 343
marginata ... 343
Hemifreyaninae ... 341–43
Hemiptera ... 24–32, 99–111, 211–27, 257–78, 425–28, 441–45
Hepatozoon ... 274
Hepialus sylvanus ... 517
Heterometrus silenus ... 447
Heterotylenchus ... 453
autumnalis ... 289, 292, 296
Histrichopsyllidae ... 42
Homoptera ... 180
hormone, ecdysone ... 444
ecdysterone ... 441, 443–44
juvenile ... 444
analogue ... 441, 443–44
mimic ... 392–93
synthetic ... 387
methoprene ... 387–89
molting ... 444
Hyalomma ... 232, 413
aegyptium ... 96, 474
dromedarii ... 232
marginatum rufipes ... 232
ssp. ... 232
plumbeum ... 232
impressum ... 232
Hybomitra ... 430
aurilimba ... 431–32
epistates ... 430–32
hinei ... 431–32
illota ... 431
lasiophthalma ... 430–32
pechumani ... 431
sodalis ... 430–32
typhus ... 431
Hymenolepis diminuta ... 350
Hymenoptera ... 158–66, 378–82
in control of house flies ... 158
Hyonyssinae ... 341–43
Hyonyssus ... 343
Hyposinga ... 356
insecticide, see pesticide
Ixodes ... 231
canisuga ... 324, 327
cookei ... 175
dammini ... 175–76, 487–92
dentatus ... 175
hexagonus ... 324–27
marxi ... 175
pacificus ... 457, 459, 462
persulcatus ... 327, 413
ricinus ... 327
rugicollis, rearing of ... 324–27
scapularis ... 409–10, 487
signatus ... 171–72
texanus ... 175
uriae ... 172
Ixodidae ... 84–91, 93–98, 123–25, 170–72, 175–76, 187–93, 232–34, 253–54, 324–32, 413–18, 457–76, 487–92
Ixodoidea ... 129–39, 171–72
Kjellum ... 228
Laronyssus ... 342
larvicide, see pesticide
Leeuwenhoekiinae ... 228
Leiurus quinquestriatus ... 447
Leptopsyllidae ... 48–60
Leptotrombidium ... 72
fletcheri ... 72
linjeromae ... 72
sandfordi ... 72
Leucocytozoidae ... 153–57
Leucocytozoon smithi ... 153–57
Linschcosteus ... 26
Linypha trianfularis ... 355
louse ... 1–23, 409–10
pocket gopher ... 1
Loxosceles reclusa ... 356
Loxoscelidae ... 356
Lutzomyia anthophora ... 446
shannoni ... 446
vexator ... 446
sp. nr cruciata ... 446
Lycosa carolinensis ... 356
rabida ... 356
scutulatum ... 356
Lycosidae ... 356
Lygaeidae ... 267
Lyme disease ... 457, 462, 487, 490
Macrocheles muscaedomestica ... 201
Macrochelidae ... 201
Macronyssidae ... 374
malaria ... 88, 180, 362–65, 448
Mallophaga ... 1–23
mange, red ... 411
sarcoptic ... 409–12
Mansonia perturbans ... 509–13, 515, 517–19
Maorigoeldia ... 340
Metaparasitylenchus ... 41
Microtriatoma trinidadensis ... 267, 270–75
mite (see also chigger) ... 41, 44–47, 92, 217, 345–50, 409
chorioptic mange ... 47
common scabies ... 349

ear canker 345, 349
feather 341–44
new taxa 341
house dust 351–52
northern fowl 374–77
predacious 201
psoroptic 44–47, 374
sarcoptiform 44, 47
sheep scabies 349
Monapsidus 343
mosquito 61–68, 116–22, 126–28, 140–44, 173–74, 181–86, 235–39, 279–88, 300–23, 337–40, 355–65, 381, 383–94, 401–08, 419–24, 428, 434–40, 448, 477–86, 493–521
blood-feeding patterns 493
bromeliad-inhabiting 337
Brugia transmission 383
flight patterns 501
marking system for 173
northern house 284
predation by spiders 355
resting heights of 362
resting shelters 419
salt-marsh 317, 355
southern house 284
vertical distribution 116
visual stimuli 505
yellow fever 61–64
moth 517
Mouchetia 343
Musca 449, 518
autumnalis 289–97, 449–56
age structure and abundance 289
Thelazia parasitism 449
domestica 73–77, 158–66, 208, 449–56
as hosts for Thelazia 449
parasite releases to suppress 158
pheromone toxicant devices for 73
sorbens 524, 527
Muscidae ... 73–77, 158–66, 194–210, 289–97, 449–56, 522
control on horses 522
Muscidifurax raptor 158–66
Mycoplasma 459
hyorhinis 460
Mycoplasmatales 460
Nematoda 41–43, 290–92, 449–56
Allantonematidae 41–43, 289
nematode, filarial 434
Neoparasitylenchus 41
megabothridis 42
Neoschoengastia retrocincta 228
yeomansi 228
Neotrombicula 395
cavicola 395, 399
microti group 395
Nosopsyllus fasciatus 42
Novotrombicula owiensis 530–35
Odontacarus 40
mitchelli 40
unicus 228
unisetosa 40
Oeciacus vicarius 425–28
onchocerciasis, human 145
Ornithodoros 129, 131–32, 134–39, 413
amblus, life cycle 134–39
boliviensis 129
brodyi 353
capensis 129, 134, 139
concanensis, aggregation pheromones of 129–33
Ornithodoros coriaceus 129
hasei 353
moubata 129, 474–75
muesebecki 138
papillipes 474
savignyi 129
tholozani 129, 474
Ornithonyssus sylviarum, erythrocyte feeding 374–77
Panstrongylus geniculatus 267, 270, 273–76
lignarius 267, 270–75
megistus 24, 266, 275–76
rufotuberculatus 267, 270, 272–74
Parabuthus 447
Parastichtis lateritia 517
pediculosis 448
human 179
Pegopteronyssus 343
phyllurus 342–43
Periglischrus 353
iheringi 353
natali 353
ojastii 353
vargasi 353
Periplaneta americana 360
pesticide 362–64, 448
acaricide 412
Atroban 523
coumaphos 206–07
DDT 145, 362, 364
dieldrin 61–62, 64
dimethoate 162
fenitrothion 362
larvicide 145–52, 320
lindane 410
methomyl 162
methoxychlor 199, 207–08
Mycodex 410
permethrin 73–77, 522–29
pirimiphosmethyl 362
pyrethroid 528
pyrethrum 522
Stomoxin 524
temephos 145–52
(Z)-9-tricosene 162
pheromone 73–77
aggregation, in ticks 129–33
2,6-dichlorophenol 187
sex, in ticks 187
Phidippus audax 356
Pholeoixodes 324–27
Phthiraptera 350
Pimeliaphilus 217
pink eye 527
piroplasmosis 206
Pisauridae 356
plague 78, 250
bubonic 43
sylvatic 41
Polygenis tripus, nematode infection 41–43
Polylopadium 228–31
antioquiai 229
aspasium 229
chaetolecanium 229
chocoensis 228
comptum 229
confirmatum 229
gibberum 229
kramisi 229
musivum 229
tertium 229
tricholecanium 229
Pomeranzevia 342
Prionus coriarus 517
Promegninia 342
Prosimulium hirtipes 153
Protozoa 84
Pseudavenzoaria 342
Psocoptera 227, 394
Psoroptes 44, 345–48
erythrocyte ingestion 345, 349
cuniculi 345, 347–50
ovis 44–47, 345, 347–50
on stanchioned cattle 44
Psoroptidae 44–47, 345–50
Psychodidae 446
Psyllotylenchus pawlowskyi 42
viviparus 42
Pterolichoidea 341
Pteromalidae 158–66
Pteronyssinae 341–43
Pteronyssoides 343
Pteronyssus 343
Pterygosomidae 217
Pulicidae 42, 78–83
Pyroglyphidae 351–52
"Queensland Itch" 527
Reduviidae 84, 99–106, 211–27, 257–78, 441–45, 448
Reoviridae, see virus
repellent 126–28, 357–61
areal, against mosquitoes 126
deet, mechanism of action .. 357–61
naphthalene 128
1-methyl- 127
2-methyl- 127
polymethylated 128
resistance, to tick feeding 328
Rhabdoviridae, see virus
Rhipicephalus 232, 413
appendiculatus 84, 192
pulchellus 232–34
sanguineus 84, 187, 192
Rhodnius brethesi 267, 276
paraensis 267, 270–75
pictipes 267, 272, 274–76
prolixus 107, 211, 257–66, 276, 441–45
energy budget for 257
molting and oviposition 441
robustus 267, 270–72, 274–76

Rhopalopsyllidae 41–43
rickettsia (see also specific diseases) 84
spotted fever group 457
Sabethini 340
Salticidae 356
Sarcoptes scabiei 410
Sassacus papenhoei 356
scab 44
scabies 44–47
Scaphixodes 171
Schistosomiasis 88
Schizocosa duplex 356
Schoengastia 40, 366–69
bicoxalae 36, 366
diannae 366
huxsolli 369
loomisi 366
nadchatrami 366
obtusispura 366
palmata 369
pseudoschuffneri 369
tricoxalae 40
vandersandei 40
scorpion 447–48
Scorpionidae 447
Scutomegninia 342
Simuliidae .. 145–57, 506–07, 512–13, 515, 519
Simulium 145
congareenarum 153, 155–56
jenningsi 153, 155–56
jonesi 155–56
meridionale 153, 155–56
nigroparvum 153
notiale 155–56
occidentale 153
ochraceum 145–52
temephos against 145
slossonae 153, 155–56
taxodium 155–56
Siphonaptera .. 41–43, 48–60, 78–83, 250–52
new species 48
Solenopsis invicta 378–82
Spalangia endius 158–66, 208
Speleorhynchidae 353
Speleorhynchus 353
chilonycteris 353
latus 353
monophylli 353
praecursor 353
spider 92, 177, 201, 355–56, 381, 448
araneid 394
dark funnel 355
predation on mosquitoes 355
spinturnicid 353
Spinturnix americanus 353
spiroplasma 457
Spirurata 449–56
Sporozoa 153–57
Steatoda 356
Stegomyia 401–08
sterilization, stable fly 194, 197, 203
Stomoxys calcitrans 73, 111, 158, 194–210, 374, 377, 522
control using IPM 194, 197, 203
population control 203
rearing and sterilization 197
sterile male releases 194
Syrphidae 518
Tabanidae 92, 382, 429–33, 506–07, 522
control on horses 522
gonotrophic activity 429
sugar feeding 429
Tabanus lineola 431–33
marginalis 431–32
megalops 522
nigrovittatus 429, 433
pumilus 430–32
quinquevittatus 430–32
sackeni 431
similis 430–32
superjumentarius 430–32
tapeworm 350
cyclophyllidian 79
dog 78
techniques, cell line isolations 140
feeding and rearing
Aedes, dietary glucose 235
bedbugs, artificial feeder for 107
flea pupal collection device 251
sand flies 446
tick, hourly collection turntable 253
fluorescent marking 173
sampling, face fly 289
traps, house fly pheromone toxicant devices 73
mosquitoes, live bait 249
Teratothrix **higae** 244, 248
leberi 244, 248
squarrosa 244, 248
steffani 244, 248
truncata 244, 248
termite 448
Tetragnatha montana 355
Tetragnathidae 355
Thanatus formicimus 356
Thelazia gulosa 449, 455–56
lacrymalis 449
rhodesii 449, 455
skrjabini 449, 456
sp. 449–56
thelaziasis, bovine 454
equine 449
Theridiidae 356
Theridion goodnightorum 356
ovatum 355
Thomisidae 356
tick 84–88, 89–91, 201, 206–07, 324–32, 353, 374, 409–10, 413–18, 457–76, 487–92
American dog 93, 95
argasid 129–39, 413, 474
Gulf Coast 93, 170
hybridization in 413
isolation of Barur virus from 232
ixodid 123–25, 170–72, 175–76, 187–93, 232–34, 253–54, 474
lone star 93–98, 187, 253, 328
on White-tailed Deer 487–92
rabbit 95, 253
Rocky Mountain wood 89
turntable for hourly collection 253
viruses from man-biting 457
Tipulidae 66
Tityus babiensis 447
serrulatus 447
trinitatis 447
Togaviridae, see virus
Toritrombicula 395
blumbergi 395
Toxorhynchites 32, 144, 180, 234, 282, 354, 481, 486
amboinensis, cell lines from 140–44
brevipalpis, survival and fertility 481–86
rutilus 481
splendens 481
Triatoma 211–27
environmental effects 211
barberi, blood meal antigens 99–106
brasiliensis 276
conorrhini 275
cruzi 267–72, 275–76
dimidiata 99, 104, 211
gerstaeckeri 266
infestans 24–32, 105, 276
stridulatory groove in 24
lecticularius 214
lenti 24
longipes 220
maculata 267, 276
phyllosoma 257–60, 265
protracta 24, 266
protracta 216–18, 220–22, 226, 266
pseudomaculata 276
recurva 214, 216–18, 220–21 223–24, 226
rubida uhleri 211, 214, 216–18, 220–24, 226
rubrofasciata 267, 270, 272, 274–75
rubrovaria 267, 276
sordida 266, 276
Triatominae 24, 26, 99–106, 211, 216–17, 221, 257–78
Brazilian, ectopes of 266
Trichodectes canis 409–10
Trichodectidae 1–23
Trichoprosopon 340
Tripteroides bambusa 340
trombicula aplodontiae 395
Trombiculidae 30–40, 69–72, 112–15, 228–31, 244–48, 298–99, 366–69, 395–400, 530–35
Trombiculinae 228

Trypanosoma cruzi 211, 257, 266
trypanosome 266
Tsutsugamushia 395
Tylenchida 41–43
typhus, murine 78
Tyrophagus 201, 323
Vejovidae 447
Vermipsyllidae 42
virus 107, 250, 313, 459
arbovirus 67, 316–17, 386–87, 457–63
from man-biting ticks 457
isolations from ticks 232
seasonal susceptibility in bugs 425
tickborne 457–63
Alphavirus 459
Arenaviridae 459
Arenavirus 459
Barur 232–34
Bunyaviridae 134, 459
Bunyavirus 459
Cascade 457, 459–60, 462
Chandipura 232
Colorado tick fever 457, 459
Dhori 233
eastern equine encephalomyelitis 313–17, 419, 493–504
encephalitis 65
equine infectious anemia ... 522–24, 527–28
Flavivirus (29) B 459
Fort Morgan 425–28
hepatitis B 107–11
Huacho 134
Hughes serogroup 134
Isfahan 232
Japanese B encephalitis 460–61
Kamese 232
Kemerovo serogroup 134
La Crosse encephalitis 120, 122
Lagos bat 232
Lyssavirus 459
Mossuril 232
Mount Elgon bat 232
myxomatosis 111
Orbivirus 134, 459
Punta Salinas 134
Reoviridae 134, 459
reovirus 460
Rhabdoviridae 459
St. Louis encephalitis 122, 249, 384
Togaviridae 459
vaccinia 461
Vesiculovirus 459
western equine encephalitis 250
Yata 232–33
Walchiella 69
impar 72
oudemansi 72
Wilhemia 519
Wuchereria bancrofti 477
Wyeomyia 339–40
mitchellii 337–38, 340
smithii 337–40
vanduzeei, egg morphology 337–40
Xenopsylla cheopis 81, 82
Xysticus ferox 356
Zachvatkinia 342

VERTEBRATE INDEX

Agelaius phoeniceus 94
Alsophis cantherigerus 125
Alticola 48, 50
roylei 54, 57
stoliczkanus 48, 50, 54
stracheyi 50
amphibian 495–96
Anoura 353
Anteater, Collared 269
Antechinus melanurus 298
Anumbius 266
Aplodontia rufa 395–96
rufa pacifica 399
Apodemus 48
flavicollis 57
sylvaticus 54, 57
Apomys 72
Ardops nichollsi 353
armadillo 276
Nine-banded 273
Artibeus 353
jamaicensis 353
bandicoot 366
Brindled 40
bat 269, 274, 276, 353–54
Antillean, acari of 353
Common Rousette 69
Beaver, Mountain 395, 399
bird 40, 93–98, 122, 134, 170, 211, 250, 266, 274–75, 315, 317, 374, 487, 489, 491, 493, 495–96, 498–99, 501, 503–04, 517
as hosts for Amblyomma americanum 93
marine 171–72, 341, 457
passerine 493, 496–98
shore 341
Blackbird, Red-winged 94, 96
Blarina brevicauda 175
Boa Constrictor, Bahama 123–25
Bobwhite 93
Boidae 123, 125
Booby, Blue-footed 134
Peruvian 134
Brachyphylla cavernarum 353
buffalo, water 362
Calomyscus 48
Caluromys philander 272
camel 232–34
Canidae, ectoparasites of 409–12
Canis latrans 409–12
rufus gregoryi 409–12
Capitonidae 343
Carollia 353
cat 78–79, 250, 494
cattle 41–47, 84, 93, 95, 181, 195, 203, 205, 207, 250, 289, 291–93, 295–96, 328–32, 345–50, 374, 449, 455–56, 462, 499
Cephus columba 171
Charadriidae 343
Charadriiformes 343, 494, 498
chicken 93, 95–97, 100, 102–05, 160, 208, 250, 253, 374–77, 494
Chilonycteris 353
chipmunk 217, 462
Eastern 175–76, 334
Chiroptera 353–54
Ciconiiformes 494, 498
Citellus 216
Clethrionomys 48
gapperi 176
Coendou prehensilis 269, 273, 275
Colinus virginianus 93
Colubridae 125
Columba livia 129
Columbiformes 494, 498
cormorant 171
Guanay 134
Red-legged 134
Corvus brachyrhynchos 94
Cottontail, Eastern 93, 95
Cowbird, Brown-headed 94, 96
Coyote 409–12
Cricetulus migratorius 48
Crow, Common 94
Dasypus novemcinctus ... 273–74, 276
Deer, White-tailed 487–92
Didelphis marsupialis 272–73, 275
virginiana 94, 175
dog 250, 412, 434, 494, 498
Dorcopsulus vanheurni 33
Dove, Rock 129
Echimys chrysurus 272–73, 275
Elaphe subocularis 123
Ellobius 48
Epicrates angulifer 125
striatus 123–25
Eptesicus fuscus 353
Equidae 522
Estrildidae 343
Eutamias 462
Falconiformes 343
Finch, Gray-crowned Rosy 172
fish 448
fox 324, 412
Grey 411
Red 324, 411
frog 499
Galliformes 494

gecko 275
Common House 274
Geomyidae 1–23
goat 232, 234
gopher, pocket 1–23
Gruiformes 498
Guillemot, Pigeon 171–72
guinea pig 93, 95, 187, 253
Gull, Black-tailed 171
Hemidactylus 274
Honey-eater, Red-backed 33
horse 250, 315, 419, 449, 462, 493–94, 499, 522
Hyperacrius 57
Isoodon macrourus 40
Jird, Clawed 383
Kinkajou 273
Larosterna inca 134
Larus crassirostris 172
Leptonycteris 353
Lepus oiostolus 54
Leucosticte tephrocotis 172
lizard 123, 217, 272, 274
varanid 530, 533
Macrotus 353
mammal 54, 93–98, 122, 175, 211, 228, 234, 244, 266–70, 272–75, 298–99, 317, 462, 487, 489, 491, 493–96, 498–99, 517
as hosts for Amblyomma americanum 93
Marmosa 272
Marmota bobak himalayana 48
monax 94
marsupial 530
Marten, Pine 324
Stone 324
Martes foina 324
martes 324
Meadowlark, Eastern 94
Melomys levipes 36, 530
Long-footed 530
Long-nosed 36
Lowland 112–15
platyops 112, 114
Meriones unguiculatus 383
Mesocricetus auratus 458
Microtus 48
pennsylvanicus 175, 458, 461
Mephitis mephitis 94
Molossidae 353
Molossus molossus 353
Molothrus ater 94
Monophyllus 353
plethodon 353
portoricensis 353
redmani 353
Mormoopidae 353
mouse 104, 233
Black-tailed Marsupial 298
Deer 94, 96, 335, 462
Pocket 4, 462
White-footed 175–76, 334–35
Woodland Jumping 176
Muridae 112–15, 370
Murre, Common 172
Mus musculus 57
Mustela erminea 54
frenata 175, 396
furo 324
putorius 324
Mustelidae 324
Myospalax 48
Myotalpa 48
Myotis 353
dominicensis 353
Napaeozapus insignis 176
Natalidae 353
Natalus stramineus 353–54
tumidirostris 353
Neacomys tenuipes 248
Necotomys alfari 248
Neotoma 211, 221, 266, 462
albigula 214, 216–17, 226
floridana 94
Noctilio leporinus 353
Noctilionidae 353
Ochotona daurica 50, 54
Odocoileus virginianus 487–92
opossum 274
Common 272–73
Grey "4-eyed" 273
murine 272
Virginia 94, 97
Woolly 272
Osprey 343
Ovis canadensis mexicana 345
Pandionidae 343
Passer domesticus 276, 425
Passeres 341
Passeriformes 315, 317, 501
Pelecanus thagus 134
Pelican, Peruvian Brown 134
Perognathus 4, 462
Peromyscus 462
leucopus 175, 334
noveboracensis 334
maniculatus 94, 335
Petrochelidon pyrrhonota ... 129, 425
Phacellodomus 266
Phalacrocorax bougainvillii 134
gaimardi 134
spp. 171
pheasant 100
Philander opossum 273–74
Phyllostomidae 353
Picidae 343
Piciformes 494, 498
pig 73, 498
Pitymys 48
leucurus 48, 54
sikimensis 50, 54
porcupine 270, 275
Prehensile-tailed 269, 273
Potos flavus 273
poultry 374
Procyon lotor 94, 175
Proechimys semispinosus 228, 248
Pseudocheirus cupreus 533
Pteronotus 353
davyi 353
gymnonotus 353
parnellii 353
suapurensis 353
Ptiloprora guisei 33
rabbit 89, 93, 95–97, 187, 253, 336, 345–50, 374, 462, 497, 499
Raccoon 94
Rail, Barred 72
Rallus torquatus sanfordi 72
rat 41, 99–100, 102–05, 448
Arboreal White-faced Spiny ... 272, 275
Moss-forest 33, 36, 40, 370, 530
Neotropical Water 248
Slender 40
Spiny Rice 248
Tomes' Spiny 228
Variable Spiny 36, 40, 298
Rattus bagobus 72
eha 50
niobe 33, 36, 40, 370, 530
rattus 274
rufescens 57
wroughtoni 232, 234
ruber 36, 40, 298
verecundus 40
sp. 54
reptile 123, 495–96
Rhynchops atra 343
flavirostris 343
nigra 343
Ring-tail, Coppery 533
rodent 41, 43, 57, 64, 99, 232, 234, 243, 273–75, 333, 354, 460, 462, 487, 489, 499
cricetid 336
microtine 48, 50
murid 54, 57, 336, 530
Rodentia 1–23, 112–15, 370
Rostratulidae 343
Rousettus amplexicaudatus 69
Sciurus carolinensis 175
niger 94
Seal, Northern Fur 172
sheep 44, 47, 73, 240, 242, 349
Mexican Mountain 345
Mountain 345–49
shrew 489
Masked 176
skink 366
Skunk, Striped 94
Western Spotted 217
snake 123, 494, 498
Trans-Pecos Rat 123
Sorex cinereus 176
fumeus 175
Sparrow, Field 94
House 276, 425
Spermophilus 462
Sphenomorphus 366
Spizella pusilla 94
squirrel 462, 489
Fox 94, 96
Gray 175, 333
ground 462
Rock 216–17
tree 122
Spermophilus variegatus grammurus 216

Sturnella magna 94
Sturnira 353
lilium 353
Sula nebouxi 134
variegata 134
Swallow, Cliff 129, 132, 425
Sylvilagus 462
floridanus 93, 95, 175
Tadarida brasiliensis 353
Talegalla fuscirostris 369
Tamandua tetradactyla 269
Tamiasciurus 462
hudsonicus 175
Tamias striatus 175, 334
Tern, Inca 134
Thecadactylus 274
Thomomys bottae ssp. 1–23
umbrinus ssp. 1
Thrush, Siberian 172
Thylogale brunii 40
Toad, South African Clawed 123
Tracops 353
Tuponka 248
turkey 99, 105, 154–56
Black-billed, Brush 366
Uria aalgae 172
Varanus indicus 534
Vespertilionidae 353
Vole, Meadow 458
"Royle's" 50
Southern Red-backed 176
Vulpes vulpes 324
Wallabia agilis 40
wallaby 366
Agile 40
Dusky 40
Lesser Forest 33
Weasel, Long-tailed 396
Wolf, Red 409–12
woodchuck 67, 94
woodrat 211, 213, 266, 462
Eastern 94
White-throated 214
Xenopus laevis 123
Zygodontomys lasiurus 41

JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 18
1981

Published by
Department of Entomology, Bishop Museum
Honolulu, Hawaii, USA

EDITORIAL COMMITTEE

F. J. Radovsky, *Executive Editor*
JoAnn M. Tenorio, *Editor*
R. C. Axtell
B. N. Chaniotis
M. M. Crystal
D. M. Davies
R. Domrow
K. C. Emerson
A. Fain
J. L. Gressitt
H. Hoogstraal
J. Kitzmiller
H. Kurahashi
L. E. LaChance
L. A. Magnarelli
C. J. Mitchell
M. Nadchatram
W. A. Nelson
M. W. Service
R. Traub
J. E. M. H. van Bronswijk
Production Editor: Keith K. Leber
Editorial Assistant: Reidun Johansen-Khan
Business Manager: W. Fitzgerald

Entomology Staff, Bishop Museum, 1981: Keith Arakaki, Gary Buelow, Candida Cardenas, Yvonne Ching, Neal L. Evenhuis, Raydeen Fujimoto, Betsy Gagné, Wayne Gagné, Jill Glanstein, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, June Ibara, Reidun Johansen-Khan, Arthur H. Kodani, Keith K. Leber, Deborah Manning, Gail A. Mason, Hans Megens, Grace Nakahashi, Gordon M. Nishida, F. J. Radovsky (Chairman), Elizabeth A. Rice, G. A. Samuelson, Shirley Samuelson, Chris Simon, W. A. Steffan (Vice-Chairman), Sabina Swift, JoAnn Tenorio.

Associates in Entomology, Bishop Museum: Honorary Associates: J. Balogh (Budapest), J. W. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr (California), N. L. H. Krauss (Honolulu), T. C. Maa (Taipei), J. T. Medler (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* G. A. Ahearn (Honolulu), P. D. Ashlock (Lawrence), P. F. Bellinger (California), C. J. Davis (Hawaii), R. F. Forster (New Zealand), D. P. Furman (California), F. Haramoto (Honolulu), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), W. C. Mitchell (Honolulu), S. L. Montgomery (Honolulu), W. W. Moss (Philadelphia), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), R. P. Papp (Hawaii), J. C. E. Riotte (Honolulu), K. Sattler (London), H. G. Sengbusch (Buffalo), J. M. Valentine (Florida). *Associates:* D. L. Bishop (California), R. Greenfield (Honolulu), B. S. Sugarman (Honolulu). *Field Associate:* C. W. Mills, III (Japan).

Printed by
Allen Press, Inc., Lawrence, Kansas, USA
© 1981 by the Bishop Museum

CONTENTS OF VOLUME 18

ADAMS, C. T. & C. S. LOFGREN—Red imported fire ants (Hymenoptera: Formicidae): frequency of sting attacks on residents of Sumter County, Georgia 378
AESCHLIMANN, ANDRE—see El Said et al.
ANDERSON, JOHN F., LOUIS A. MAGNARELLI & JAMES E. KEIRANS—*Aponomma quadricavum* (Acari: Ixodidae) collected from an imported boa, *Epicrates striatus,* in Connecticut 123
ANDERSON, JOHN F.—see Magnarelli & Anderson
ARLIAN, LARRY G. & M. MICHAEL VESELICA—Reevaluation of the humidity requirements of the house dust mite *Dermatophagoides farinae* (Acari: Pyroglyphidae) 351
ASMAN, S. M.—see Zalom et al.
ATYEO, W. T. & J. GAUD—The subfamilies of the Avenzoariidae (Acari: Analgoidea) 341
AUBERT, M. F. A.—Breeding of the tick *Ixodes* (*Pholeoixodes*) *rugicollis* (Acari: Ixodidae) under laboratory conditions 324
BAILEY, R. E.—see Rush et al.
BANG, Y. H.—see Damar et al.
BARKER, R. W.—see McGowan et al.
BENNETT, GORDON F.—see Browne & Bennett
BENNETT, STEVEN R., G. A. H. MCCLELLAND & J. M. SMILANICK—A versatile system of fluorescent marks for studies of large populations of mosquitoes (Diptera: Culicidae) 173
BIRLEY, M. H. & P. K. RAJAGOPALAN—Estimation of the survival and biting rates of *Culex quinquefasciatus* (Diptera: Culicidae) 181
BOSQUE, CARLOS—see Collier et al.
BROWN, SUSAN E.—see Main et al.
BROWNE, SHELLEY M. & GORDON F. BENNETT—Response of mosquitoes (Diptera: Culicidae) to visual stimuli 505
BUTENKO, A. M., V. L. GROMASHEVSKY, D. K. L'VOV & V. F. POPOV—First isolations of Barur virus (Rhabdoviridae) from ticks (Acari: Ixodidae) in Africa 232
BUTLER, JERRY F.—see Pinkovsky et al.
BUXTON, BONNIE A. & GARY R. MULLEN—Comparative susceptibility of four strains of *Aedes aegypti* (Diptera: Culicidae) to infection with *Dirofilaria immitis* 434
CAREY, ANDREW B.—see Carey et al.
CAREY, MARION G., ANDREW B. CAREY, ANDREW J. MAIN, WILLIAM L. KRINSKY & HENRY E. SPRANCE—*Ixodes dammini* (Acari: Ixodidae) in forests in Connecticut 175
CARLEY, CURTIS J.—see Pence et al.
CARLSON, D. A. & C. M. LEIBOLD—Field trials of pheromone-toxicant devices containing muscalure for house flies (Diptera: Muscidae) 73
CAVANAUGH, DAN C.—see Hastriter & Cavanaugh
CLIFFORD, CARLETON M.—see Yunker et al.
COLLIER, BOYD D., JORGE E. RABINOVICH, CARLOS BOSQUE & ERNESTO RODRIGUEZ—An energy budget for *Rhodnius prolixus* (Hemiptera: Reduviidae) under laboratory conditions 257
COPPEDGE, JAMES R.—see Spencer et al.
CORY, JACK—see Yunker et al.
CRAIG, GEORGE B., JR—see Sinsko & Craig
CRANS, WAYNE J.—see Slaff & Crans
CURTIS, G. A.—see Frank et al.
CUSTER, JAY W.—see Pence et al.
DADD, R. H.—see Sneller & Dadd
DAMAR, T., G. A. FLEMING, S. GANDAHUSADA & Y. H. BANG—Nocturnal indoor resting heights of the malaria vector *Anopheles aconitus* and other anophelines (Diptera: Culicidae) in central Java, Indonesia 362
DAVEY, R. B.—see Thompson et al.
DAVIS, E. E.—see Haggart & Davis
DELOACH, JOHN R. & JOYCE A. DEVANEY—Northern fowl mite, *Ornithonyssus sylviarum* (Acari: Macronyssidae), ingests large quantities of blood from White Leghorn hens 374
DELOACH, JOHN R. & FRED C. WRIGHT—Ingestion of rabbit erythrocytes containing ^{51}Cr-labeled hemoglobin by *Psoroptes* spp. (Acari: Psoroptidae) that originated on cattle, Mountain Sheep, or rabbits 345
DELOACH, JOHN R.—see Wright & DeLoach
DE SOUZA, A. A.—see Miles et al.
DEVANEY, JOYCE A.—see DeLoach & DeVaney

DIEHL, PETER A.—see El Said et al.
DI LUCIANO, VIVIANA S.—Morphology of the stridulatory groove of *Triatoma infestans* (Hemiptera: Reduviidae) 24
EDMAN, J. D.—see Nasci & Edman
EKKENS, DAVID B.—Nocturnal flights of *Triatoma* (Hemiptera: Reduviidae) in Sabino Canyon, Arizona. I. Light collections 211
ELLIS, E. A.—see Frank et al.
EL SAID, ASHRAF, ZDZISLAW SWIDERSKI, ANDRE AESCHLIMANN & PETER A. DIEHL—Fine structure of spermiogenesis in the tick *Amblyomma hebraeum* (Acari: Ixodidae): late stages of differentiation and structure of the mature spermatozoon 464
ENDRIS, R. G.—see Young et al.
ERDOS, G. W.—see Frank et al.
FASHING, NORMAN J.—see Weaver & Fashing
FIELD, W. N. & JUDITH M. HITCHEN—Linkage relationships between an esterase locus and group II markers in the yellow fever mosquito, *Aedes aegypti* (Diptera: Culicidae) 61
FLEMING, G. A.—see Damar et al.
FORRESTER, DONALD J.—see Pinkovsky et al.
FOX, R. C.—see Wirtz et al.
FRANCY, D. B.—see Rush et al.
FRANK, J. H., G. A. CURTIS, G. W. ERDOS & E. A. ELLIS—On the bionomics of bromeliad-inhabiting mosquitoes. VIII. The flotational structure of *Wyeomyia vanduzeei* eggs (Diptera: Culicidae) 337
GANDAHUSADA, S.—see Damar et al.
GARCIA, ELOI S., MARIA LUIZA M. GARCIA & JORGE A. GUIMARÃES—Pepstatin inhibition of molting and oviposition in *Rhodnius prolixus* (Hemiptera: Reduviidae) 441
GARCIA, MARIA LUIZA M.—see Garcia et al.
GAUD, J.—see Atyeo & Gaud
GEDEN, CHRISTOPHER J. & JOHN G. STOFFOLANO, JR—Geographic range and temporal patterns of parasitization of *Musca autumnalis* (Diptera: Muscidae) by *Thelazia* sp. (Nematoda: Spirurata) in Massachusetts, with observations on *Musca domestica* (Diptera: Muscidae) as an unsuitable intermediate host 449
GEORGE, JOHN E.—The influence of aggregation pheromones on the behavior of *Argas cooleyi* and *Ornithodoros concanensis* (Acari: Ixodoidea: Argasidae) 129
GOFF, M. LEE—Five new species of chiggers (Acari: Trombiculidae) from Papua New Guinea 33
GOFF, M. LEE—Two new species of chiggers (Acari: Trombiculidae) from the Philippine Islands 69
GOFF, M. LEE—Two new species of *Guntheria* (*Guntheria*) (Acari: Trombiculidae) from the Lowland Melomys (Rodentia: Muridae) in New Guinea 112
GOFF, M. LEE—A new species of *Polylopadium* (Acari: Trombiculidae) from Colombia, with a key to the species in the genus 228
GOFF, M. LEE—The genus *Teratothrix* (Acari: Trombiculidae), with descriptions of three new species and a key to the species 244
GOFF, M. LEE—A new species of *Guntheria* (Acari: Trombiculidae) with foliate body setae from Papua New Guinea mammals 298
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). I. Two new species of *Schoengastia* 366
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). II. Two new species of *Guntheria* 370
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). III. Two new species of *Guntheria* with a key to the species in the genus from Papua New Guinea and notes on *Novotrombicula owiensis* 530
GRESBRINK, ROBERT A.—see Yunker et al.
GROMASHEVSKY, V. L.—see Butenko et al.
GUILLOT, FRANK S.—Population increase of *Psoroptes ovis* (Acari: Psoroptidae) on stanchioned cattle during summer 44
GUIMARÃES, JORGE A.—see Garcia et al.
HAGGART, D. A. & E. E. DAVIS—Neurons sensitive to 2,6-dichlorophenol on the tarsi of the tick *Amblyomma americanum* (Acari: Ixodidae) 187
HARTBERG, W. K.—see Johnston & Hartberg
HASTRITER, MICHAEL W. & DAN C. CAVANAUGH—An apparatus for colonizing fleas (Siphonaptera) and collecting pupal cocoons 251
HELLENTHAL, RONALD A.—see Price & Hellenthal
HILBURN, LARRY R. & KARAMJIT S. RAI—Electrophoretic similarities and mating compatibility among four species of the *Aedes* (*Stegomyia*) *scutellaris* complex (Diptera: Culicidae) 401
HITCHEN, JUDITH M.—see Field & Hitchen

HOLMAN, PATRICIA J.—Partial characterization of a unique female diploid cell strain from the tick *Boophilus microplus* (Acari: Ixodidae) 84
HOLSCHER, K. H.—see McGowan et al.
HOMER, JOHN T.—see McGowan et al.
HOMSHER, PAUL J. & CONRAD E. YUNKER—Bilateral gynandromorphism in *Dermacentor andersoni* (Acari: Ixodidae): morphologic and cytogenetic analysis 89
HOOGSTRAAL, HARRY—see Khalil & Hoogstraal
JOHNSTON, K. W. & W. K. HARTBERG—Polygenic inheritance of variation in scale pattern of the abdominal sterna of *Eretmapodites quinquevittatus* (Diptera: Culicidae) 300
JONES, J. KNOX, JR—see Pence et al.
KAYA, HARRY K.—see Moon & Kaya
KEIRANS, JAMES E.—see Anderson et al.
KELLY, PAUL R.—see Schwan & Kelly
KHALIL, GALILA M. & HARRY HOOGSTRAAL—The life cycle of *Ornithodoros* (*Alectorobius*) *amblus* (Acari: Ixodoidea: Argasidae) in the laboratory 134
KLOTER, KIRBY O.—see Main et al.
KLOWDEN, MARC J. & ARDEN O. LEA—Laboratory transmission of *Brugia pahangi* by nulliparous *Aedes aegypti* (Diptera: Culicidae) 383
KNIPPING, PAUL A.—see Pence et al.
KOCH, H. G.—Suitability of birds and mammals as hosts for immature stages of the lone star tick, *Amblyomma americanum* (Acari: Ixodidae) 93
KOCH, HENRY G.—A simple turntable apparatus for hourly collection of engorged ticks (Acari: Ixodidae) 253
KRINSKY, WILLIAM L.—see Carey et al.
KUNO, GORO—A method for isolating continuous cell lines from *Toxorhynchites amboinensis* (Diptera: Culicidae) 140
LABRECQUE, G. C., R. S. PATTERSON, D. F. WILLIAMS & D. E. WEIDHAAS—Control of the stable fly, *Stomoxys calcitrans* (Diptera: Muscidae), on St. Croix, U.S. Virgin Islands, using integrated pest management measures. I. Feasibility of sterile male releases 194
LABRECQUE, G. C.—see Patterson et al; Williams et al.
LANG, J. T., C. E. SCHRECK & H. PAMINTUAN—Permethrin for biting-fly (Diptera: Muscidae; Tabanidae) control on horses in Central Luzon, Philippines 522
LEA, ARDEN O.—see Klowden & Lea
LEE, RICHARD E., JR—see Timm & Lee
LEIBOLD, C. M.—see Carlson & Leibold
LEWIS, ROBERT E.—A review of the genus *Amphipsylla* in Nepal, Pakistan and northern India, with the description of a new taxon and a key to the species treated (Siphonaptera: Leptopsyllidae) 48
LIMA CERQUEIRA, ELÚZIO JOSÉ—see Linardi et al.
LINARDI, PEDRO MARCOS, ELÚZIO JOSÉ LIMA CERQUEIRA & PAUL WILLIAMS—*Polygenis tripus* (Siphonaptera: Rhopalopsyllidae) naturally infected by Allantonematidae (Nematoda: Tylenchida) 41
LOFGREN, C. S.—see Adams & Lofgren
L'VOV, D. K.—see Butenko et al.
MAGNARELLI, LOUIS A. & JOHN F. ANDERSON—Sugar feeding by female tabanids (Diptera: Tabanidae) and its relation to gonotrophic activity 429
MAGNARELLI, LOUIS A.—see Anderson et al.
MAIN, ANDREW J., HENRY E. SPRANCE, KIRBY O. KLOTER & SUSAN E. BROWN—*Ixodes dammini* (Acari: Ixodidae) on White-tailed Deer (*Odocoileus virginianus*) in Connecticut 487
MAIN, ANDREW J.—see Carey et al.
MASER, CHRIS—see Wrenn & Maser
MCCLELLAND, G. A. H.—see Bennett et al.
MCGOWAN, MICHAEL J., R. W. BARKER, JOHN T. HOMER, R. W. MCNEW & K. H. HOLSCHER—Success of tick feeding on calves immunized with *Amblyomma americanum* (Acari: Ixodidae) extract 328
MCIVER, SUSAN B.—A model for the mechanism of action of the repellent DEET on *Aedes aegypti* (Diptera: Culicidae) 357
MCNEW, R. W.—see McGowan et al.
MEYER, R. P.—see Zalom et al.
MILES, M. A., A. A. DE SOUZA & M. PÓVOA—Chagas' disease in the Amazon Basin. III. Ecotopes of ten triatomine bug species (Hemiptera: Reduviidae) from the vicinity of Belém, Pará State, Brazil 266
MILLIAN, KENNETH Y., JR—see Mitchell & Millian
MITCHELL, CARL J.—Diapause termination, gonoactivity, and differentiation of host-seeking behavior from blood-feeding behavior in hibernating *Culex tarsalis* (Diptera: Culicidae) 386

MITCHELL, CARL J. & KENNETH Y. MILLIAN, JR—Continued host seeking by partially engorged *Culex tarsalis* (Diptera: Culicidae) collected in nature 249
MOGI, MOTOYOSHI—Studies on *Aedes togoi* (Diptera: Culicidae). 1. Alternative diapause in the Nagasaki strain 477
MOON, ROGER D. & HARRY K. KAYA—A comparison of methods for assessing age structure and abundance in populations of nondiapausing female *Musca autumnalis* (Diptera: Muscidae) 289
MORGAN, PHILIP B., D. E. WEIDHAAS & R. S. PATTERSON—Programmed releases of *Spalangia endius* and *Muscidifurax raptor* (Hymenoptera: Pteromalidae) against estimated populations of *Musca domestica* (Diptera: Muscidae) 158
MORRIS, C. D.—A structural and operational analysis of diurnal resting shelters for mosquitoes (Diptera: Culicidae) 419
MORRIS, C. D. & R. H. ZIMMERMAN—Epizootiology of eastern equine encephalomyelitis virus in upstate New York, USA. III. Population dynamics and vector potential of adult *Culiseta morsitans* (Diptera: Culicidae) 313
MULLEN, GARY R.—see Buxton & Mullen
NASCI, R. S. & J. D. EDMAN—Blood-feeding patterns of *Culiseta melanura* (Diptera: Culicidae) and associated sylvan mosquitoes in southeastern Massachusetts eastern equine encephalitis enzootic foci 493
NASCI, R. S. & J. D. EDMAN—Vertical and temporal flight activity of the mosquito *Culiseta melanura* (Diptera: Culicidae) in southeastern Massachusetts 501
NOVAK, ROBERT J., JOHN PELOQUIN & WILLIAM ROHRER—Vertical distribution of adult mosquitoes (Diptera: Culicidae) in a northern deciduous forest in Indiana 116
OCHOA, J. O.—see Takaoka et al.
OGSTON, C. W.—Transfer of radioactive tracer by the bedbug *Cimex hemipterus* (Hemiptera: Cimicidae): a model for mechanical transmission of hepatitis B virus 107
OSBURN, R. L.—see Thompson et al.
PAMINTUAN, H.—see Lang et al.
PATTERSON, R. S., G. C. LABRECQUE, D. F. WILLIAMS & D. E. WEIDHAAS—Control of the stable fly, *Stomoxys calcitrans* (Diptera: Muscidae), on St. Croix, U.S. Virgin Islands, using integrated pest management measures. III. Field techniques and population control 203
PATTERSON, R. S.—see LaBrecque et al.; Williams et al.
PELOQUIN, JOHN—see Novak et al.
PENCE, DANNY B., JAY W. CUSTER & CURTIS J. CARLEY—Ectoparasites of wild canids from the Gulf Coastal Prairies of Texas and Louisiana 409
PENCE, DANNY B., J. KNOX JONES, JR & PAUL A. KNIPPING—Acari of Antillean bats (Chiroptera) 353
PERKINS, P. V.—see Young et al.
PINKOVSKY, DENNIS D., DONALD J. FORRESTER & JERRY F. BUTLER—Investigations on black fly vectors (Diptera: Simuliidae) of *Leucocytozoon smithi* (Sporozoa: Leucocytozoidae) in Florida 153
POPOV, V. F.—see Butenko et al.
PÓVOA, M.—see Miles et al.
PRICE, ROGER D. & RONALD A. HELLENTHAL—A review of the *Geomydoecus californicus* complex (Mallophaga: Trichodectidae) from *Thomomys* (Rodentia: Geomyidae) 1
PRINCE, M. A.—see Thompson et al.
RABINOVICH, JORGE E.—see Collier et al.
RAI, KARAMJIT S.—see Hilburn & Rai
RAJAGOPALAN, P. K.—see Birley & Rajagopalan
RAMOSKA, W. A. & R. A. SWEET—Predation on mosquitoes (Diptera: Culicidae) breeding in tires by the spider *Agelenopsis naevia* (Araneae: Agelenidae) 355
REIERSON, DONALD A.—see Silverman et al.
RODRIGUEZ, ERNESTO—see Collier et al.
ROHRER, WILLIAM—see Novak et al.
RUSH, W. A., D. B. FRANCY & R. E. BAILEY—Seasonal changes in susceptibility of a population of swallow bugs (Hemiptera: Cimicidae) to Fort Morgan virus 425
RUST, MICHAEL K.—see Silverman et al.
SCHRECK, C. E.—see Lang et al.
SCHWAN, TOM G. & PAUL R. KELLY—*Ixodes signatus* (Ixodoidea: Ixodidae) parasitizing Pigeon Guillemots on the Channel Islands, California 171
SILVERMAN, JULES, MICHAEL K. RUST & DONALD A. REIERSON—Influence of temperature and humidity on survival and development of the cat flea, *Ctenocephalides felis* (Siphonaptera: Pulicidae) 78

SINSKO, MICHAEL J. & GEORGE B. CRAIG, JR—Dynamics of an isolated population of *Aedes triseriatus* (Diptera: Culicidae). II. Factors affecting productivity of immature stages 279
SLAFF, MARC & WAYNE J. CRANS—The activity and physiological status of pre- and posthibernating *Culex salinarius* (Diptera: Culicidae) populations 65
SMILANICK, J. M.—see Bennett et al.
SNELLER, VISHNU-PRIYA & R. H. DADD—Interaction of amino acids and glucose on growth of *Aedes aegypti* (Diptera: Culicidae) in a synthetic rearing medium 235
SNOW, J. WENDELL—see Spencer et al.
SPENCER, JOHN P., J. WENDELL SNOW, JAMES R. COPPEDGE & CHANDLER J. WHITTEN—Seasonal occurrence of the primary and secondary screwworm (Diptera: Calliphoridae) in the Pacific coastal area of Chiapas, Mexico during 1978–1979 240
SPRANCE, HENRY E.—see Carey et al.; Main et al.
STOFFOLANO, JOHN G., JR—see Geden & Stoffolano
SWEET, R. A.—see Ramoska & Sweet
SWIDERSKI, ZDZISLAW—see El Said et al.
TAKAHASHI, M.—see Takaoka et al.
TAKAHASI, H.—see Takaoka et al.
TAKAOKA, H., J. O. OCHOA, M. TAKAHASHI & H. TAKAHASI—Evaluation of temephos as a larvicide against *Simulium ochraceum* (Diptera: Simuliidae) in Guatemala 145
TEMPELIS, CONSTANTINE H.—see Zárate & Tempelis
THOMAS, LEO A.—see Yunker et al.
THOMPSON, G. D., R. L. OSBURN, R. B. DAVEY & M. A. PRINCE—The dynamics of hybrid sterility between *Boophilus annulatus* and *B. microplus* (Acari: Ixodidae) through successive generations 413
TIMM, ROBERT M. & RICHARD E. LEE, JR—Do bot flies, *Cuterebra* (Diptera: Cuterebridae), emasculate their hosts? 333
TRPIS, MILAN—Survivorship and age-specific fertility of *Toxorhynchites brevipalpis* females (Diptera: Culicidae) 481
TURRENTINE, J. D.—see Wirtz et al.
VESELICA, M. MICHAEL—see Arlian & Veselica
WEAVER, SCOTT C. & NORMAN J. FASHING—Dispersal behavior and vector potential of *Aedes cantator* (Diptera: Culicidae) in southern Maryland 317
WEIDHAAS, D. E.—see LaBrecque et al.; Morgan et al.; Patterson et al.; Williams et al.
WHITTEN, CHANDLER J.—see Spencer et al.
WIEDL, SHEILA C.—A new distribution record for *Amblyomma maculatum* (Acari: Ixodidae) 170
WILLIAMS, D. F., R. S. PATTERSON, G. C. LABRECQUE & D. E. WEIDHAAS—Control of the stable fly, *Stomoxys calcitrans* (Diptera: Muscidae), on St. Croix, U.S. Virgin Islands, using integrated pest management measures. II. Mass rearing and sterilization 197
WILLIAMS, D. F.—see Patterson et al.
WILLIAMS, PAUL—see Linardi et al.
WILTON, DONALD P.—Light-trap response and the DV/D ratio in the *Culex pipiens* complex (Diptera: Culicidae) 284
WIRTZ, R. A., J. D. TURRENTINE, JR & R. C. FOX—Area repellents for mosquitoes (Diptera: Culicidae): identification of the active ingredients in a petroleum oil fraction 126
WRENN, WILLIAM J. & CHRIS MASER—*Aplodontophila*, a new genus of chiggers (Acari: Trombiculidae) from the northwestern United States 395
WRIGHT, FRED C. & JOHN R. DELOACH—Feeding of *Psoroptes ovis* (Acari: Psoroptidae) on cattle 349
WRIGHT, FRED C.—see DeLoach & Wright
YOUNG, D. G., P. V. PERKINS & R. G. ENDRIS—A larval diet for rearing phlebotomine sand flies (Diptera: Psychodidae) 446
YUNKER, CONRAD E., JACK CORY, ROBERT A. GRESBRINK, LEO A. THOMAS & CARLETON M. CLIFFORD—Tickborne viruses in western North America. III. Viruses from man-biting ticks (Acari: Ixodidae) in Oregon 457
YUNKER, CONRAD E.—see Homsher & Yunker
ZALOM, F. G., S. M. ASMAN & R. P. MEYER—Determining the mating ability of irradiated male *Culex tarsalis* (Diptera: Culicidae) 167
ZÁRATE, LAUREN G. & CONSTANTINE H. TEMPELIS—The biology and behavior of *Triatoma barberi* (Hemiptera: Reduviidae) in Mexico. II. Influence of a single versus a double feeding on the time that blood meal antigens remain serologically detectable 99
ZIMMERMAN, R. H.—see Morris & Zimmerman
Book notices 88, 92, 180, 231, 234, 243, 350, 354, 361, 394

Book reviews 92, 177, 179, 447
Editorial acknowledgments 544
Errata, Vol. 12, 15, 17 83
Guide for Contributors 255
Notices 252, 297, 323, 476
Publication announcements 32, 64, 180, 227, 250, 492
Scientific notes 89, 170, 171, 173, 175, 249, 251, 253, 349, 351, 353, 355, 446
General Index 536
Vertebrate Index 541
Contents of Volume 18 iii

PUBLICATION DATES FOR VOLUME 18

No. 1, 20 February 1981
No. 2, 30 April 1981
No. 3, 4 June 1981
No. 4, 31 July 1981
No. 5, 30 September 1981
No. 6, 30 November 1981